

**CARLISLE**

**WIP**<sup>®</sup>

**WATER & ICE PROTECTION**

**Commercial**  
**Roofing Underlayments**



CARLISLE

# WIP<sup>®</sup>

WATER & ICE PROTECTION

Water and Ice Protection (WIP) self-adhering roofing underlayments offer an ideal solution for protecting against water and ice damming while withstanding some of nature's most unfavorable weather conditions. WIP is manufactured and backed by Carlisle, a leader in the roofing industry for more than 45 years.

CARLISLE

## WIP 100

WATER & ICE PROTECTION GRANULAR SURFACE

- Strong underlayment for use as underlayment on critical roof areas such as eaves, ridges, valleys, dormers and skylights
- Flexible, rubberized asphalt, fiberglass-reinforced membrane
- Granular surface provides maximum skid resistance
- UL Classified
- 30-day exposure time
- ICBO approved
- Split-release liner provides easy application

CARLISLE

## WIP 200

WATER & ICE PROTECTION NON-SKID FILM SURFACE

- Versatile, non-skid film-surface underlayment for use on critical roof areas such as eaves, ridges, valleys, dormers and skylights
- Composite membrane comprised of fiberglass-reinforced, rubberized asphalt laminated to an impermeable polyethylene film layer. Features a smooth surface
- UL Classified
- 30-day exposure time
- ICBO approved

Refer to Carlisle Residential data sheets to obtain applicable limitations for these products.



CARLISLE

# WIP 300HT

WATER & ICE PROTECTION

HIGH-TEMPERATURE PROTECTION

- Superior high temperature performing underlayment for use under metal, slate and shake tiles and asphalt shingles offering strong skid resistance during installation and supreme high temperature longevity for water and ice protection
- Able to be used under all metals including copper, zinc and CorTen (contact technical department for installation instructions)
- 40-mil membrane comprised of a strong, skid-resistant polyethylene film laminated to a thick layer of highly adhesive rubberized asphalt
- Siliconized release film prevents the material from sticking in the roll and is easily stripped away for installation
- UL Classified
- 60-day exposure time (black); 120-day (white)

CARLISLE

# WIP 401LT

WATER & ICE PROTECTION

NON-SKID FILM SURFACE

- Designed for low temperature applications where the ambient temperature is between 30°F and 70°F (-1.1°C and 21.1°C)
- 40-mil membrane comprised of a strong, skid-resistant polyethylene film laminated to a thick layer of adhesive
- Siliconized release film prevents material from sticking in the roll and is easily stripped away for installation
- Permanently bonds stripped seals around nails or other fasteners
- UL Classified
- 60-day exposure time

CARLISLE

# WIP 400

WATER & ICE PROTECTION

NON-SKID FILM SURFACE

- Specification-grade underlayment for long-lasting, high-performance applications
- 40-mil membrane comprised of a strong, skid-resistant polyethylene film laminated to a thick layer of highly adhesive rubberized asphalt
- Siliconized release film prevents the material from sticking in the roll and is easily stripped away for installation
- UL Classified
- 60-day exposure time

CARLISLE

# WIP 403HR

WATER & ICE PROTECTION

NON-SKID FILM SURFACE

- Designed for use in hot climate areas beneath metal roofing, slate and shake tiles and asphalt shingles
- Excellent in high elevations. Long exposure time for drying in the roof. Excellent UV Protection due to the surface film
- Able to be used under all metals including copper, zinc and CorTen (contact technical department for installation instructions)
- 40-mil membrane comprised of a strong, skid-resistant polyethylene film laminated to a thick layer of highly adhesive rubberized asphalt
- Siliconized release film prevents material from sticking in the roll and is easily stripped away for installation
- UL Classified
- 120-day exposure time

## The Choice for Commercial Buildings



# About Carlisle Residential

---

As a division of Carlisle Construction Materials, Carlisle Residential manufactures premium construction products for steep-slope and low-slope residential and commercial applications.

For more information about the products and services offered by Carlisle Residential, call 800.211.7170 or visit their web site at [www.carlisleresidential.com](http://www.carlisleresidential.com).



1285 Ritner Highway • Carlisle, PA 17013 • (800) 211-7170 • [www.carlisleresidential.com](http://www.carlisleresidential.com)